	•
- 11	X
(4)	PN.

	Application No.	Applicant(s)		
	09/680,436	MELLER, PAUL		
Notice of Allowability	Examiner	Art Unit		
	Kara E Geisel	2877		
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to and MPEP 1308.	olication. If not include will be mailed in due o	ed course. THIS	
1. This communication is responsive to <u>The amendment filed</u>	on 20 April 2004.			
2. ☑ The allowed claim(s) is/are <u>41-52,55-73 and 75-80</u> .				
3. $igotimes$ The drawings filed on <u>06 October 2000</u> are accepted by the	e Examiner.			
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) Depar No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☑ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amendr 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413), te <u>0404</u> . ment/Comment		

Application/Control Number: 09/680,436

Art Unit: 2877

DETAILED ACTION

Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael W. Kim on April 30th, 2004.

The application has been amended as follows:

In regards to claim 41, line 7, --small-- has been added between "at angles".

In regards to claim 61, line 1, "54" has been changed to --41-- to correct a dependency error.

In regards to claim 78, line 1, "74" has been changed to --69-- to correct a dependency error.

The amended claims appear below:

41. A method for analyzing a sample, comprising:

providing two lights sources;

coupling light emitted from the two light sources into a common beam;

guiding the common beam through a sample to be analyzed to generate a first signal and a second signal different from the first signal;

detecting the first signal impinging at <u>small</u> angles around the common beam to obtain a nephelometric measurement of the sample; and

detecting the second signal to obtain a spectrophotometric measurement of the sample.

- 61. The method of claim 54 41, further comprising deflection light out of the common beam.
- 78. The apparatus of claim 74 69, further comprising means for deflecting light out of the common beam.

Application/Control Number: 09/680,436

Art Unit: 2877

Examiner's Reasons for Allowance

Claims 41-52, 55-73, and 75-80 are allowed over the prior art of record for the reasons set forth in

Page 3

the previous Office Action (see paper number 12), and the reasons set forth in the amendment, filed April

20th, 2004, on pages 12-17.

Any comments considered necessary by applicant must be submitted no later than the payment of

the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such

submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should

be directed to Kara E Geisel whose telephone number is 571 272 2416. The examiner can normally be

reached on Monday through Friday, 8am to 4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank

Font can be reached on 571 272 2415. The fax phone numbers for the organization where this application

or proceeding is assigned are 703 872 9306 for regular communications and 703 872 9306 for After Final

communications. For inquiries of a general nature, the Customer Service fax number is 703 872 9317.

Any inquiry of a general nature or relating to the status of this application or proceeding should

be directed to the receptionist whose telephone number is 703 308 1782.

F.L. Evans

Primary Examiner

Art Unit 2877